


TECHNICAL SHEET

28/11/2025



Rack for storage of window elements. Stable steel construction. Rack for storage of window sashes. The individual elements are available for direct access. Specially designed for integration in assembly lines. Access is possible from both sides. Supporting surfaces with support rollers for even easier loading and unloading. Compartment separating bars covered with protective tubing.

(someco)


TECHNICAL SHEET

28/11/2025




Compartments

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



Supports

Lower storage area with support rollers for easier loading and unloading



Profile protectors

Profile protectors for support rollers 3x120 mm (Alum./48 x), support rollers covered with protective tubing



Casters, cmpl. (Optional)

Two casters with brake and two fixed rollers provide mobility in all directions, roller diameter 125 mm







FFR 10 / RACK SYSTEMS

DIMENSION AND WEIGHT	
Length (mm)	1.820
Width (mm)	1.000
Height (mm)	2.965
Weight (kg)	250

STORAGE CAPACITY	
Compartments	10
Compartment width (mm)	130
Compartment height (mm)	2.600
Load capacity (kg)	800

CHARACTERISTICS	
Floor support equipped with knob profile	•
Compartment separating bars covered with protective tubing	•
Supporting surface with rollers	•
Rollers and handle	0

Included ● Available ○