

FFR 10

Rack systems



Rack for storage of window elements. Stable steel construction. Rack for storage of window sashes. The individual elements are available for direct access. Specially designed for integration in assembly lines. Access is possible from both sides. Supporting surfaces with support rollers for even easier loading and unloading. Compartment separating bars covered with protective tubing.

Voiàp S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY


Tel 059 895411
Fax: 059 859404
P.IVA e C.F. 02057270361
info@somecopvc.com
www.somecopvc.com

The right to make technical alterations is reserved.




Compartments

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage




Supports

Lower storage area with support rollers for easier loading and unloading



Profile protectors

Profile protectors for support rollers 3x120 mm (Alum./48 x), support rollers covered with protective tubing



Casters, cpld. (Optional)

Two casters with brake and two fixed rollers provide mobility in all directions, roller diameter 125 mm



Voiàp S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel 059 895411
Fax: 059 859404
P.IVA e C.F. 02057270361
info@somecopvc.com
www.somecopvc.com

The right to make technical alterations is reserved.

FFR 10 / RACK SYSTEMS

DIMENSION AND WEIGHT

Length (mm)	1.820
Width (mm)	1.000
Height (mm)	2.965
Weight (kg)	250

STORAGE CAPACITY

Compartments	10
Compartment width (mm)	130
Compartment height (mm)	2.600
Load capacity (kg)	800

CHARACTERISTICS

Floor support equipped with knob profile	●
Compartment separating bars covered with protective tubing	●
Supporting surface with rollers	●
Rollers and handle	○

Included ● Available ○