


TECHNICAL SHEET

02/05/2024




Stable steel construction. Glazing bead rack for horizontal storage of aluminium and plastic glazing beads. Ideal for storing and sorting glazing beads, e.g. before the glazing bead saw. Seven support arms are evenly spaced along the rack. Four centre supports are adjustable. Nine support arms are freely adjustable, giving variable support arm spacing. Support arms are rubber coated. Well-organised storage provides quick access.



TECHNICAL SHEET

02/05/2024



Support arms

Support arms are rubber coated. Centre upright is adjustable. Support arms are freely adjustable, giving variable support arm spacing



Hinged foot

Working height can be adjusted by means of adjustable feet



02/05/2024



GLR 5000 / RACK SYSTEMS

Width (mm) Height (mm) Shelves Centre supports adjustable Compartment depth (mm) Clearance (mm) Weight (kg)	CHARACTERISTICS	
Height (mm) Shelves Centre supports adjustable Compartment depth (mm) Clearance (mm) Weight (kg)	Length (mm)	5.000
Shelves Centre supports adjustable Compartment depth (mm) Clearance (mm) Weight (kg)	Width (mm)	800
Centre supports adjustable Compartment depth (mm) Clearance (mm) Weight (kg)	Height (mm)	2.200
Compartment depth (mm) Clearance (mm) Weight (kg)	Shelves	9
Clearance (mm) 1 Weight (kg) 2	Centre supports adjustable	4
Weight (kg)	Compartment depth (mm)	450
	Clearance (mm)	185
Load capacity (kg)	Weight (kg)	200
Load capacity (kg)	Load capacity (kg)	630

Included • Available O