


GLW 48

Transport and trolleys




Profile trolley for vertical storage and transportation of glazing beads. Stable steel construction. Double-sided profile trolley for vertical storage and transportation of glazing beads. Quick access to pre-sorted glazing beads. Four sorting racks with fixed spacing. Compartment dividers covered with protective tubing. Lower supporting surface clad with protective rubber. Rear back support with rubber strips. 24 compartments per side. Transport handle on both sides. Four swivel castors, two of which with locking stop.

Voiàp S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY


Tel 059 895411
Fax: 059 859404
P.IVA e C.F. 02057270361
info@somecopvc.com
www.somecopvc.com

The right to make technical alterations is reserved.




Compartment divider with plastic protector

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



Back support with rubber strips

Rear supporting surfaces equipped with rubber strips protect profiles from damage



Supporting surfaces with protective rubber

Lower supporting surfaces clad with rubber protect the profiles from damage



Transport handles

Transport handles on both sides for mobility



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Voi&ap S.p.A.
Via Archimede, 10
41019 - Limidi di Soliera (MO)
ITALY

Tel 059 895411
Fax: 059 859404
P.IVA e C.F. 02057270361
info@somecopvc.com
www.somecopvc.com

The right to make technical alterations is reserved.

GLW 48 / TRANSPORT AND TROLLEYS

DIMENSION AND WEIGHT

| | |
|-------------|-------|
| Length (mm) | 1.620 |
| Width (mm) | 650 |
| Height (mm) | 1.640 |
| Weight (kg) | 120 |

STORAGE CAPACITY

| | |
|------------------------|-------|
| Compartment dividers | 8 |
| Compartments | 48 |
| Compartments per side | 24 |
| Compartment width (mm) | 40 |
| Compartment depth (mm) | 90 |
| Support height (mm) | 1.400 |
| Load capacity (kg) | 400 |

CHARACTERISTICS

| | |
|----------------------------------|-----|
| Sorting racks with fixed spacing | 4 |
| Swivel castors | 4 |
| Swivel castors with locking stop | 2 |
| Swivel castors diameter (mm) | 125 |

Included ● Available ○