


TECHNICAL SHEET

29/04/2024




Assembly table for all work tasks on frames and sashes. Stable steel construction. Assembly table for all work tasks on frames and sashes. Table supporting surface with plastic slide bars. Storage tray for setting down tools and accessories. Adjustable height. Practical storage area under the table surface. Four PVC containers for small accessories, hardware and screws. 4-fold compressed air supply. Simple installation with a modular system design. Options: also available with brush strips on request; also available with felt strips on request (for wooden profiles); also available with rubber strips on request (for aluminium profiles); double two-pin grounded socket; tool rack; maintenance unit; castors (cmpl.); spiral hose.

1

(someco)


TECHNICAL SHEET

29/04/2024




Supporting surfaces

Supporting surfaces with plastic slide bars




Storage tray

Storage tray for setting down tools and accessories




Storage area

Storage area with four plastic trays for small accessories, hardware and screws



Height adjustment

Adjustable height; working height can be set to 850 – 1.000 mm by means of adjustable feet



4-fold compressed air connection

4-fold compressed air connection for connecting compressed-air tools



Casters (Optional)

Mobile unit: two casters with brake and two fixed rollers provide mobility in all directions

Voilàp S.p.A. Via Archimede, 10 41019 - Limidi di Soliera (MO) Tel 059 895411 Fax: 059 859404 P.IVA e C.F. 02057270361 info@somecopvc.com www.somecopvc.com

The right to make technical alterations is reserved.

(someco)


TECHNICAL SHEET

29/04/2024




Brush strip (Optional)

Supporting surfaces with brush strip



Felt strip (Optional)

Supporting surfaces with felt strip



Rubber strips (Optional)

Supporting surfaces with rubber-knob profile



Tool rack (Optional)

Tool rack for pneumatic or electrical tools



Maintenance unit (Optional)

Maintenance unit for compressed-air tools



Double two-pin grounded socket (Optional)





29/04/2024



MT 3000 / ASSEMBLY TABLES

CHARACTERISTICS	
Length (mm)	3.000
Width (mm)	1.300
Height (mm)	850 ÷ 1.000
Weight (kg)	120
Adjustable height	
Storage tray for setting down tools and accessories	
Storage area under the table surface	
PVC containers	
4-fold compressed air supply	
Table brush strip supporting surface	C
Table felt profile strip supporting surface	
Table rubber knob profile	
Castor wheel Stand Alone (2 castors + 2 fixed)	
Tool holder	
Service unit 1/4 with 4-fold air connections, Festo	
Double two-pin grounded socket 230V 16A AP	

Included ● Available ○