


## **PHW 2000**

Transport and trolleys



Profile trolley for horizontal storage and transportation of profiles. Stable steel construction. Horizontal profile transportation. Profile trolley with profile supports on both sides. Twelve storage areas per upright. Four swivel castors, two of which with locking stop.

**Voiàp S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY


Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
[info@somecopvc.com](mailto:info@somecopvc.com)  
[www.somecopvc.com](http://www.somecopvc.com)

The right to make technical alterations is reserved.




### Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



### Support arms

Compartment width 120 mm,  
Compartment depth 450 mm, easy  
loading and unloading, well-organised  
storage provides quick access



### Plastic protector (Optional)

All supporting surfaces have a non-slip  
PVC cladding which protects surfaces  
from damage during storage



### Number labels (Optional)

Numbering of the compartments



**Voiàp S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY

Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
[info@somecopvc.com](mailto:info@somecopvc.com)  
[www.somecopvc.com](http://www.somecopvc.com)

The right to make technical alterations is  
reserved.

## PHW 2000 / TRANSPORT AND TROLLEYS

## DIMENSION AND WEIGHT

Length (mm)	2.000
Width (mm)	1.000
Height (mm)	1.850
Weight (kg)	150

## STORAGE CAPACITY

Shelves	24
Clearance (mm)	120
Compartment width (mm)	450
Load capacity (kg)	350

## CHARACTERISTICS

Plastic protection	<input type="radio"/>
Number labels	<input type="radio"/>
Swivel castors	4
Swivel castors with locking stop	2
Swivel castors diameter (mm)	125

Included ● Available ○

**Voiàp S.p.A.**  
Via Archimede, 10  
41019 - Limidi di Soliera (MO)  
ITALY

Tel 059 895411  
Fax: 059 859404  
P.IVA e C.F. 02057270361  
info@somecopvc.com  
www.somecopvc.com

The right to make technical alterations is reserved.