


TECHNICAL SHEET

26/07/2025



Profile trolley for horizontal storage and transportation of profiles. Stable steel construction. Horizontal profile transportation. Profile trolley with profile supports on both sides. Twelve storage areas per upright. Four swivel castors, two of which with locking stop.

1

(someco)

26/07/2025



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Support arms

Compartment width 120 mm, Compartment depth 450 mm, easy loading and unloading, well-organised storage provides quick access



Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



Number labels (Optional)

Numbering of the compartments







PHW 2000 / TRANSPORT AND TROLLEYS

| DIMENSION AND WEIGHT | |
|----------------------|-------|
| Length (mm) | 2.000 |
| Width (mm) | 1.000 |
| Height (mm) | 1.850 |
| Weight (kg) | 150 |
| | |

| STORAGE CAPACITY | |
|------------------------|-----|
| Shelves | 24 |
| Clearance (mm) | 120 |
| Compartment width (mm) | 450 |
| Load capacity (kg) | 350 |

| CHARACTERISTICS | |
|----------------------------------|-----|
| Plastic protection | 0 |
| Number labels | 0 |
| Swivel castors | 4 |
| Swivel castors with locking stop | 2 |
| Swivel castors diameter (mm) | 125 |

Included • Available \circ