




PWS

Transport and trolleys



Profile trolley for vertical storage and transportation of aluminium profiles. Stable steel construction. Ideal for transportation and space-saving intermediate storage of cut-to-length profiles. Easy loading and unloading. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.


PWS 1000: Vertical profile transportation. Profile trolley with loading on one side. Sufficient for 30-40 profile bars. Supporting surface with bar grid floor.

PWS 1400: Vertical profile transportation. Sufficient for 30-40 profile bars. Lower supporting surface with rubber strips. Compartment dividers with protective tubing. Rear back support with rubber strips.

PWS 1800: Vertical profile transportation. Sufficient for 12-60 profile bars. Lower supporting surface with rubber strips. Compartment dividers with protective tubing. Rear back support with rubber strips.


PWS 2000: Vertical profile transportation. Profile trolley with loading on one side. Sufficient for 60-80 profile bars. Supporting surface with bar grid floor.

PWS 4000: Vertical profile transportation. Profile trolley can be loaded on both sides. 18 compartments per side. Sufficient for 120-160 profile bars. Supporting surface with bar grid floor.




**Easy loading and unloading
PWS 1000 / PWS 2000**

Profile trolley with loading on one side




Easy loading and unloading PWS 4000

Profile trolley with loading on two sides




**Compartment dividers
PWS 1000 / PWS 2000**

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




**Compartment dividers
PWS 4000**

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 400 mm



**Compartment divider with plastic protector
PWS 1400 / PWS 1800**

Compartment divider height is adjustable. All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage




**Supporting surface
PWS 1000 / PWS 2000**

Supporting surface with bar grid floor




**Supporting surface
PWS 4000**

Supporting surface with bar grid floor



**Back support with
rubber strips
PWS 1400 / PWS 1800**

Rear supporting surfaces equipped with rubber strips protect profiles from damage




**Lower supporting
surfaces with rubber
strips
PWS 1400 / PWS 1800**

Lower supporting surfaces equipped with rubber strips to protect the profiles from damage




Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



**Plastic protector
PWS 1000 / PWS 2000 /
PWS 4000 (Optional)**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



**Additional
compartment divider
PWS 1800 (Optional)**

Additional compartment divider with height adjustment and plastic protector

MODELS

DIMENSION AND WEIGHT
PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

Length (mm)	1.200 / 1.440 / 1.880 / 2.230 / 2.230
Width (mm)	800 / 790 / 800 / 800 / 1.560
Height (mm)	1.360 / 1.360 / 1.700 / 1.360 / 1.850
Weight (kg)	60 / 72 / 105 / 105 / 200

STORAGE CAPACITY
PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

Compartment dividers	2 / 2 / 2 / 2 / 4
Compartments	9 / 9 / 12 / 18 / 36
Compartment width (mm)	100 / 120 / 120 / 100 / 100
Compartment depth (mm)	540 / 540 / 540 / 540 / 400
Support height (mm)	1.150 / 1.150 / 1.500 / 1.150 / 1.620
Load capacity (kg)	350 / 350 / 350 / 350 / 600
Quantity of profile bars	30-40 / 30-40 / 12-60 / 60-80 / 120-160

PWS 4000

Compartments per side	18
-----------------------	----



CHARACTERISTICS

PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000

Profile trolley with loading on one side

PWS 4000

Profile trolley can be loaded on both sides

PWS 1000 / PWS 2000 / PWS 4000

Supporting surface with bar grid floor

Compartment dividers with protective tubing

PWS 1400 / PWS 1800

Compartment dividers with protective tubing

Lower supporting surface with rubber strips

Rear back support with rubber strips

PWS 1800

Additional height adjustable compartment divider with plastic protection

PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

Swivel castors diameter (mm) 125

Included Available