

## **TECHNICAL SHEET**

05/05/2024



Profile trolley for vertical storage and transportation of profiles. Stable steel construction. Vertical profile transportation. Profile trolley with loading on one side. Easy loading and unloading. Sufficient for 30-40 profile bars. Compartment divider height is adjustable. Supporting surface with bar grid floor. Four castors, two of which have a fixing brake. Option: plastic protector for PWS 1000.

# (someco)


## **TECHNICAL SHEET**

05/05/2024



Easy loading and unloading

Profile trolley with loading on one side



**Compartment dividers** 

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




**Supporting surface** 

Supporting surface with bar grid floor



#### **Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



## Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



05/05/2024



### PWS 1000 / TRANSPORT AND TROLLEYS

CHARACTERISTICS	
Length (mm)	1.200
Width (mm)	800
Height (mm)	1.360
Compartment dividers	2
Compartments	9
Swivel castors diameter (mm)	125
Compartment width (mm)	100
Compartment depth (mm)	540
Support height (mm)	1.150
Weight (kg)	60
Load capacity (kg)	350
Quantity of profile bars	30 - 40
Profile trolley with loading on one side	•
Supporting surface with bar grid floor	•
Plastic protection	0

Included ● Available ○