





PWS 2000

Transport and trolleys




Profile trolley for vertical storage and transportation of profiles. Stable steel construction. Vertical profile transportation. Profile trolley with loading on one side. Easy loading and unloading. Sufficient for 60 – 80 profile bars. Compartment dividers height is adjustable. Supporting surface with bar grid floor. Four swivel castors, two of which with locking stop.



Easy loading and unloading

Profile trolley with loading on one side



Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




Supporting surface

Supporting surface with bar grid floor



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

DIMENSION AND WEIGHT

| | |
|-------------|-------|
| Length (mm) | 2.230 |
| Width (mm) | 800 |
| Height (mm) | 1.360 |
| Weight (kg) | 105 |

STORAGE CAPACITY

| | |
|--------------------------|---------|
| Compartment dividers | 2 |
| Compartments | 18 |
| Compartment width (mm) | 100 |
| Compartment depth (mm) | 540 |
| Support height (mm) | 1.150 |
| Load capacity (kg) | 350 |
| Quantity of profile bars | 60 - 80 |

CHARACTERISTICS

| | |
|--|----------------------------------|
| Profile trolley with loading on one side | <input checked="" type="radio"/> |
| Supporting surface with bar grid floor | <input checked="" type="radio"/> |
| Plastic protection | <input type="radio"/> |
| Swivel castors diameter (mm) | 125 |

Included Available