

TECHNICAL SHEET

27/12/2025




Profile trolley for horizontal storage and transportation of profiles. Stable steel construction. Horizontal profile transportation. Support arms are rubber coated. Profile trolley with profile supports on both sides. Six supports per upright. One centre upright. Four swivel castors, two of which with locking stop.

1




TECHNICAL SHEET

27/12/2025




Easy loading and unloading

Well-organised storage provides quick access



Support arms

Support arms are rubber coated.Adjustable centre upright



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Individual centre upright (Optional)

Additional centre uprights



27/12/2025



PWW 1000 / TRANSPORT AND TROLLEYS

| DIMENSION AND WEIGHT | |
|----------------------|-------|
| Length (mm) | 1.625 |
| Width (mm) | 900 |
| Height (mm) | 1.960 |
| Weight (kg) | 60 |
| | |

| STORAGE CAPACITY | |
|------------------------|-----|
| Shelves | 11 |
| Clearance (mm) | 260 |
| Lower shelf width (mm) | 420 |
| Upper shelf width (mm) | 300 |
| Load capacity (kg) | 350 |

| 1 |
|-----|
| 0 |
| 4 |
| 2 |
| 125 |
| |

Included • Available O