


#### **TECHNICAL SHEET**

28/11/2025




Profile trolley for horizontal storage and transportation of profiles. Stable steel construction. Horizontal profile transportation. Easy transportation of profile raw materials and cut-to-size profiles. Support arms are rubber coated. Profile trolley with profile supports on both sides. Six supports per upright. Three centre uprights. Six swivel castors, two of which with locking stop.




#### **TECHNICAL SHEET**

28/11/2025




# Easy loading and unloading

Well-organised storage provides quick access



#### **Support arms**

Support arms are rubber coated.Adjustable centre upright



#### **Casters**

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



## Individual centre upright

Additional centre uprights







### PWW 4000 / TRANSPORT AND TROLLEYS

DIMENSION AND WEIGHT	
Length (mm)	4.000
Width (mm)	1.000
Height (mm)	1.960
Weight (kg)	130

STORAGE CAPACITY	
Shelves	11
Clearance (mm)	260
Lower shelf width (mm)	420
Upper shelf width (mm)	300
Load capacity (kg)	500

CHARACTERISTICS	
Centre upright	3
Swivel castors	6
Swivel castors with locking stop	2
Swivel castors diameter (mm)	125

Included • Available  $\circ$