



PWS

Transport and trolleys



Profile trolley for vertical storage and transportation of aluminium profiles. Stable steel construction. Ideal for transportation and space-saving intermediate storage of cut-to-length profiles. Easy loading and unloading. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.


PWS 1000: Vertical profile transportation. Profile trolley with loading on one side. Sufficient for 30-40 profile bars. Supporting surface with bar grid floor.

PWS 1400: Vertical profile transportation. Sufficient for 30-40 profile bars. Lower supporting surface with rubber strips. Compartment dividers with protective tubing. Rear back support with rubber strips.

PWS 1800: Vertical profile transportation. Sufficient for 12-60 profile bars. Lower supporting surface with rubber strips. Compartment dividers with protective tubing. Rear back support with rubber strips.


PWS 2000: Vertical profile transportation. Profile trolley with loading on one side. Sufficient for 60-80 profile bars. Supporting surface with bar grid floor.

PWS 4000: Vertical profile transportation. Profile trolley can be loaded on both sides. 18 compartments per side. Sufficient for 120-160 profile bars. Supporting surface with bar grid floor.




**Easy loading and unloading
PWS 1000 / PWS 2000**

Profile trolley with loading on one side




Easy loading and unloading PWS 4000

Profile trolley with loading on two sides




**Compartment dividers
PWS 1000 / PWS 2000**

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




**Compartment dividers
PWS 4000**

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 400 mm



**Compartment divider with plastic protector
PWS 1400 / PWS 1800**

Compartment divider height is adjustable. All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



**Supporting surface
PWS 1000 / PWS 2000**


Supporting surface with bar grid floor






**Supporting surface
PWS 4000**

Supporting surface with bar grid floor



**Back support with
rubber strips
PWS 1400 / PWS 1800**

Rear supporting surfaces equipped with rubber strips protect profiles from damage




**Lower supporting
surfaces with rubber
strips
PWS 1400 / PWS 1800**

Lower supporting surfaces equipped with rubber strips to protect the profiles from damage




Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



**Plastic protector
PWS 1000 / PWS 2000 /
PWS 4000 (Optional)**

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage



**Additional
compartment divider
PWS 1800 (Optional)**

Additional compartment divider with height adjustment and plastic protector

MODELS

DIMENSION AND WEIGHT
PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

| | |
|-------------|---------------------------------------|
| Length (mm) | 1.200 / 1.440 / 1.880 / 2.230 / 2.230 |
| Width (mm) | 800 / 790 / 800 / 800 / 1.560 |
| Height (mm) | 1.360 / 1.360 / 1.700 / 1.360 / 1.850 |
| Weight (kg) | 60 / 72 / 105 / 105 / 200 |

STORAGE CAPACITY
PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

| | |
|--------------------------|---|
| Compartment dividers | 2 / 2 / 2 / 2 / 4 |
| Compartments | 9 / 9 / 12 / 18 / 36 |
| Compartment width (mm) | 100 / 120 / 120 / 100 / 100 |
| Compartment depth (mm) | 540 / 540 / 540 / 540 / 400 |
| Support height (mm) | 1.150 / 1.150 / 1.500 / 1.150 / 1.620 |
| Load capacity (kg) | 350 / 350 / 350 / 350 / 600 |
| Quantity of profile bars | 30-40 / 30-40 / 12-60 / 60-80 / 120-160 |

PWS 4000

| | |
|-----------------------|----|
| Compartments per side | 18 |
|-----------------------|----|



CHARACTERISTICS

PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000

Profile trolley with loading on one side ●

PWS 4000

Profile trolley can be loaded on both sides ●

PWS 1000 / PWS 2000 / PWS 4000

Supporting surface with bar grid floor ●

Compartment dividers with protective tubing ○

PWS 1400 / PWS 1800

Compartment dividers with protective tubing ●

Lower supporting surface with rubber strips ●

Rear back support with rubber strips ●

PWS 1800

Additional height adjustable compartment divider with plastic protection ○

PWS 1000 / PWS 1400 / PWS 1800 / PWS 2000 / PWS 4000

Swivel castors diameter (mm) 125

Included ● Available ○