





RF 1000

Transport and trolleys




Profile trolley for in-house transportation of frames and sashes. Stable steel construction. Trolley with sorting rack for transportation and storage of frames and sashes. Hardwood supporting surface. Compartment dividers for nine frames. Compartment divider height is adjustable. Four swivel castors, two of which with locking stop.




Easy loading and unloading

Direct access to each element




Compartment dividers

Compartment divider height is adjustable. Compartment width 100 mm. Compartment depth 540 mm




Supporting surface

Lower supporting surface made of hardwood



Casters

Four casters, two of which have a fixing brake, provide a high degree of mobility and easy, safe handling



Plastic protector (Optional)

All supporting surfaces have a non-slip PVC cladding which protects surfaces from damage during storage

RF 1000 / TRANSPORT AND TROLLEYS

DIMENSION AND WEIGHT

Length (mm)	1.180
Width (mm)	850
Height (mm)	1.360
Weight (kg)	65

STORAGE CAPACITY

Compartment dividers	2
Compartments	9
Compartment width (mm)	100
Compartment depth (mm)	540
Support height (mm)	1.150
Load capacity (kg)	400

CHARACTERISTICS

Plastic protection	<input type="radio"/>
Swivel castors	4
Swivel castors with locking stop	2
Swivel castors diameter (mm)	125

Included ● Available ○